

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
7/27/2018	Hi Viz Two Tone Lime/Orange BDU Pants	Safety: Not within VDOT's specs, requires 4" bands of fluorescent orange-red beneath the 2" bands of reflective material.
8/8/2018	Work Pants	Considered uniform. Work through chain of command to the DA to discuss at the DA committee. Statewide decision.
8/28/2018	X-Spot Aerosol Carpet Spot and Stain Remover	Safety & IH: highly flammable, high skin irritant and high eye irritant. IH concerns over certain components.
8/28/2018	Rapid Set DOT Concrete Mix	Safety: 80lbs is considered too much weight.
9/26/2018	Duragloss HD Aluminum Cleaner & Brightener	IH: Highly acidic.
10/11/2018	Rodent control bait packs	IH: lots of ways to put these types of bait out improperly
11/8/2018	Corrugated underdrain pipe	CO ISSP: Due to the particularly restrictive requirements and specifications associated with this underdrain pipe, this is not a good item for the program.
1/2/2019	VERTICOAT Concrete Repair Mortar	IH: unknown concentration of formaldehyde.
1/2/2019	Noise Cancelling Ear Muffs; Reference Grainger #4DY70	Safety: meets our spec for ear muffs but costs more than our standard ear muff.
2/7/2019	Reducer; Toluene	Safety and IH: Toluene Di-Isocyanate is a clean-up issue as well as a severe health hazard and hazardous chemical.
3/7/2019	Class III LED Safety Vest	TE has requested that any lighting worn to enhance night time visibility be steady burning.
3/7/2019	Chain Saw Pants	These chaps have 5 layers of protection, VDOT requires 9 layers, VDOT requires compliance with North American standard ASTM F-189
3/12/2019	Permatex Cooper Spray-a-gasket item #80697	IH: due to carcinogens and waste codes.
3/12/2019	FOXFIRE Lighted Safety Band	Safety - TE has specified that any lighted accessories/garments be steady burn.
3/20/2019	Zep Eraser, Vandal Mark Remover	IH: contains trichloroethylene.
3/29/2019	3M Solus 1000-Series Safety Glasses S1107SGAF-KT	Safety: No difference between the glasses on the PGC.
3/29/2019	Contact Cleaner, Quick Dry Unscented Liquid 5 gal	Rejected due to a variety of hazardous reasons associated with the product and the quantity
4/24/2019	UV Protection Sleeve	Safety : denied on 8/20/19, 2/12/20 and again on September 21, 2022.
4/30/2019	Howard leight by honeywell quiet band shooting earplugs	IH -Not consistent with the Dept.'s Hearing Conservation Program.
5/7/2019	Snail Repellent	Many restrictions on the product's use. Mixed feedback about whether metaldehyde should be a RUP. The usage is not consistent with the product label.
5/29/2019	Rheogel Synthetic Grease	Safety - Cat 2A eye hazard.
5/30/2019	Max Blue Chlorinating Tablets	Safety - various concerns with storage issues and safety concerns with product.
6/3/2019	CLR Calcium, lime and Rust remover	Safety - it is a Cat 2A eye hazard and Cat 4 skin irritant.
6/4/2019	Gatorade Sports Drink	Safety previously denied the request.
6/4/2019	Mr. Heater Portable Kerosene Heater	Safety concerns
6/11/2019	Ramik Green Rat & Mice Bait Pack	Roadside Management advised these products have to be administered by VADAC registered Tech or higher cert.
6/14/2019	SuperLube- Exhaust Brake Lubricant, Part# C18037	Safety - No SDS. The manufacturer only supplies an MSDS and that is not in compliance with OSHA regulations.
6/19/2019	Prestone Interior Cleaner w/ Odor Neutralizer	Safety & IH - Non-aerosolized option would be better since the mixture component is unknown.
6/19/2019	Spotcheck Dye Penetrant	IH - Find alternative dye penetrant in non-aerosolized form without a CO2 component.
6/19/2019	Hi Temp, Black, Enamel, 12oz, Aerosol, Napa DC DE 1634	Safety - No SDS. The manufacturer only supplies an MSDS and that is not in compliance with OSHA regulations.
6/19/2019	Hi Temp, Blue, Enamel, 12oz, Aerosol, Napa DC DE 1608	Safety - No SDS. The manufacturer only supplies an MSDS and that is not in compliance with OSHA regulations.
6/20/2019	Innospec Power Guard Fuel Stabilizer	IH: Respirable crystalline silica and styrene hazard during sanding of product.
6/20/2019	Slash Big Blast Coil & Fin Cleaner	Safety -Severe skin burn and serious eye damage hazards.
6/26/2019	Dura Brite White Elastomeric Roof Coating	IH Denied
7/30/2019	Bona Floor Clear	Similar products on PGC
8/2/2019	E-LEMON-ATE	IH: The SDS does not state the components of the product and the use is not consistent with the manufacturer recommendations for use.
8/5/2019	Dry Lubricant Lower Friction - MK-WS2-SP	No SDS only MSDS, Cannot approve without SDS.
8/5/2019	Rustoleum Gloss Wood Finish Polyurethane	IH: Not approved for PGC
8/13/2019	Xtraseal Rubber Prep. Pre-buff rubber cleaner	IH: Product is 50% xylene, a carcinogen.
8/14/2019	MAGNAFLUX Penetrant Kit	Similar products on PGC
8/16/2019	Sqwincher Zero Drink MixSafety	Safety - Water should be the primary source of hydration for employees.
8/27/2019	Quin-Cip-D SAE 30	IH - health hazards of TCP.
9/9/2019	Dial Complete Antibacterial Foaming Hand Wash	Similar products on PGC
9/24/2019	Lubri-Suds	IH: suggest to find an alternate product.
9/24/2019	Rage Xtreme Body Filler	
11/7/2019	Miller Edge Fall Protection System, 7.5' H, 9081	Safety - alternative already in another District.
12/17/2019	Wading Boots with Felt Soles	Safety - No safety protection for punctures or toe protection. 2. felt-bottomed shoes are being discouraged.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
12/17/2019	Stocking Foot Wader	Safety - No safety protection for punctures or toe protection. 2. felt-bottomed shoes are being discouraged.
12/30/2019	Jazz Band Hearing Band	Safety: Do not meet the NRR 32 rating for VDOT disposable ear plugs. IH: VDOT will not supply in-ear reusable hearing protection.
1/8/2020	Cold Protection Gloves Lined Rubber Gloves	Safety - Better quality winter glove already on the PGC - "Ninja Ice" that incorporates cut resistance.
2/10/2020	Permatex copper spray a gasket aerosol hi-temp sealant	IH: Contains methylene chloride which is banned from production and distribution by the EPA in coatings and coating removers.
2/12/2020	UV Protection Sleeves	Safety- VDOT provides sunscreen, bug repellant and long sleeve t-shirts which provide some of the same protections.
3/2/2020	Temporary Job Site Lighting	Safety - Product is not safety rated, per the cut sheet. This product also appears to be electric in nature and not battery operated.
3/9/2020	Disinfectant deodorant fogger	Safety - SDS states it may contain 40-70% Ethanol. The cut sheet indicates 53% ethanol. Does not indicate it is effective against any of the "coronaviruses."
3/11/2020	Herculine roll on bed liner kit for pickup trucks	If shop does not have required PPE, ventilation, and work spaces, isocyanate containing coatings will not be approved.
3/19/2020	RuGlyde Rubber Lubricant	Safety - Has Occupational Health requirements and program development. IH: Rejected, Pending Cr6 Program. Known Carcinogen.
4/8/2020	Bridge Broom	Mandatory item from VDC already on PGC.
4/14/2020	Super 77 3M spray adhesive.	IH: cyclohexane
6/11/2020	Gojo lotion hand soap refill	Similar products on PGC
6/12/2020	5 Gal. Refillable Diesel Exhaust Fluid Jug	Safety - Weight, strains, and sprains. 2.5 gallons weighs approximately 24LBS. 5 gallon weight is approximately 50lbs.
7/13/2020	Craftco HP Concrete Cold Patch	Existing Statewide Contracts via ASD.
7/17/2020	Aluma Brite Aluminum Cleaner	IH - pH <1, an environmental rejection criteria.
8/6/2020	Tree Marking Paint	Florescent Orange and Florescent Green colors were denied due hexane content.
8/17/2020	E6800 UV Resistant Industrial Adhesive	Safety - High levels of tetrachloroethylene. This material is 60-100% PERC. It is denied due to Environmental Reject Criteria.
8/27/2020	Sanigaurd sanitizing mist	IH: SDS incomplete. Safety - Contains methanol.
8/30/2020	Honeywell Replacement Visor 3.0	3.0 Rejected
9/14/2020	3/16 grade 30 steel welded chain	ISSP: Doesn't meet parameters of the contract defined within the Exclusion List.
10/8/2020	Epoxy overlay pats A 7 B, 5gal. bucket	IH - has communicated with Bridge folks. Agree to find an alternate product.
11/4/2020	E6000 clear adhesive	IH- 75% trichlorethylene (TCH- like dry-cleaning fluid) which is heavily regulated and styrene, which is a carcinogen.
12/3/2020	Black Diamond Rubber Waders	
12/9/2020	Replacement Diesel Exhaust Fluid Jug Spout	CO Maintenance DEM and Maintenance DA doesn't support the Bulk DEF Purchasing
12/9/2020	2.5 Gal. Refillable Diesel Exhaust Fluid Jug	CO Maintenance DEM and Maintenance DA doesn't support the Bulk DEF Purchasing
12/29/2020	Nano Fogger	Safety : Current cleaning policy and materials are effective. If supply and demand of supplies change, then this product may be revisited then.
12/30/2020	Nemesis Shade 5 Glasses	When using a torch or metal cutting a full face shield shall be used due to flying objects, sparks, and slag.
1/21/2021	Cherry Boom Hand Cleaner	Similar products on PGC
2/16/2021	Standard 3-Ply Disposable Face Masks	Safety approved, But two mask already on PGC from a mandatory source.
4/1/2021	E Chem EPV Overlay EP-7 Epoxy	Not approved for listing on the PGC.
4/2/2021	Nemesis Safety Glasses	Do not meet VDOT's specifications
4/2/2021	Lord Fusor Bonding Adhesive	Strongly recommend an alternative product that does not contain isocyanates.
4/2/2021	High vis color enhanced fleece 2 in 1 hat	Similar products on PGC
4/2/2021	Neoprene Chest Waders	Does not have steel toes
4/16/2021	Ladder; Rescue System with Belay	Safety: manufacturer's recommends medical requirements that we, as an agency, do not currently evaluate
4/20/2021	Copper Spray Gasket Loctite s17657	IH: methylene chloride >10%. OSHA programmatic requirements and VDOT does not have a methylene chloride program in place.
4/20/2021	Copper Spray Gasket Perm Bond	Safety: Contains formaldehyde. IH: dichloromethane over 10%, Carcinogen if over 0.1%, OSHA programmatic requirement w/ no program in place.
4/20/2021	Copper Spray Gasket: K&W Copper Coat	IH: MEK over 10%. Please continue to use the non-aerosolized tube.
5/5/2021	Curlex Sediment Logs	SME recommended an alternative product.
5/6/2021	AquaPhalt	Existing competing state contract
5/7/2021	Pre-Pocketed Silt Fence, 36 in. High X 500 ft. Long	Not on VDOT's approved material list.
5/13/2021	Safety Glasses w/magnification of 1.75	Do not meet the current VDOT specification.
5/13/2021	Over the Glasses Safety Glasses	Do not meet the VDOT Specification as they do not provide temporal length adjustment.
6/10/2021	12" Cone	Cones do not meet the requirements of the Virginia Work Area Protection Manual. Cones shall be a minimum of 36" in height.
7/14/2021	Permatex Red Gel thread locker High Strength	Similar products on PGC
7/30/2021	Oregon R56 Chainsaw Chain for Milwaukee Electric saw	Chainsaws should be Stihl only
8/3/2021	Oil Pit Safety Nets	Safety - There are specific OSHA requirements related to safety nets. Currently VDOT does not have the resources or training to support their use.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
8/5/2021	delineator, flexible	Existing State Contract: Korman Signs Contract# 47070
8/6/2021	15-30-15 NPK fertilizer	CO Roadside Manager - not consistent with VDOT's Nutrient Management Plan.
8/13/2021	Klean-Strip Boiled Linseed Oil - Protects & Seals Wood	Similar product already available on the PGC.
8/17/2021	Epoxy; Pure110plus	IH: contains formaldehyde which requires an OSHA program.
9/2/2021	Zenex Magic 3.55 Liter Heavy Duty Soap Dispenser	No longer in Mancon inventory due to the Emergency Declaration ending. Will need to be acquired through VDC as it is a mandatory source.
9/10/2021	Radnor 18" welding sleeves	Does not offer body protection. Protection to VDOT employees has nothing to do with the duration of the welding process.
9/29/2021	Ironclad EXO Antivibration Gloves	Same glove as IRCEXMIG, different color.
9/29/2021	Flexamat Plus/ Erosion Control Mat	VDOT has approved "Flexamat" as an EC-3 Type 3 (highest classification) erosion control mat on APL#81.
9/30/2021	Servus T112 Rubber Full Hip Boot with Steel Toe	Similar products on PGC
10/12/2021	Lawson Liquid Vinyl Tape	The Lawson Tape has MEK or xylene, which is a very hazardous/toxic chemical. Alternatives are already available.
10/13/2021	Battery Acid for vehicle batteries	Items will need to be implemented to ensure VDOT is in compliance with OSHA regulations regarding battery acid refill prior to approval on the PGC.
11/9/2021	Crafco High Performance Concrete Cold Patch Repair Mix	Product denied due to an existing state contract.
11/10/2021	DeWalt DPG99-2P HDP Safety Glasses -Smoke Polarized	Do not meet the current VDOT specification.
11/23/2021	Loctite 380 Instant Adhesive	IH: Respiratory sensitizer and allergen. Benefits do not exceed hazards of use.
1/10/2022	Electronic Solder Wire	Need a non-leaded option
1/18/2022	B52 Degreaser (Brown Bomber)	IH: >12.5 ph.
1/24/2022	Mailbox, galv steel black large post mount	Item will be covered through the tort claim process.
1/28/2022	Stanley Extra Large Metal Black Post Mount Mailbox	Item will be covered through the tort claim process.
1/31/2022	Milwaukee Red Lithium USB Beacon Hardhat Headlight	Similar products on PGC
2/3/2022	New Pig MAT1205 Oil Absorbent Filter Mat Roll 18" x 25'	IH: requested item does not fulfill purpose.
2/10/2022	3M Peltor Hearing Protection Line with Communication	This is a communication item that must be ordered through VITA.
2/15/2022	GoJo Original Hand Cleaner 14 oz container	Similar products on PGC
2/16/2022	24" Contractors Push Broom	Similar products on PGC
2/23/2022	REFILLOmat system for Brake and Parts Cleaner	The 55 gallon drum is NOT stored in a cabinet and it has a flammable rating of 3.I; space required, combined with the flammability factor, raises concerns
2/25/2022	Dural Fast Set Gel Epoxy	Item is already on PGC.
3/10/2022	Bear Paw Hand Cleaner	Similar products on PGC
3/18/2022	Kaufman Form Kote Emulsion Release Agent	Similar products on PGC
3/21/2022	Motorcraft oil; 5W30 quart	Similar products on PGC
3/28/2022	Ideal Foaming Hand Cleaner and Kim-Stat Hand Cleaner	Similar products on PGC
4/11/2022	CamelBak - backpack water bladder	Similar products on PGC
4/19/2022	Markal trades marker	Similar products on PGC
4/22/2022	Thermacell Radius Zone Mosquito Repellent. (2.0)	IH: Employees in the area will be involuntarily subjected to repellants without consent.
4/22/2022	Thermacell MR450 Armored Portable Mosquito Repeller	IH: Employees in the area will be involuntarily subjected to repellants without consent.
4/22/2022	Thermacell original mosquito repellent refills	IH: Employees in the area will be involuntarily subjected to repellants without consent.
5/4/2022	Sikaflex 1A Polyurethane Sealant, 20 fl oz. with Gun	Not on approved Materials list
6/8/2022	Cherry Boom Industrial Hand Cleaner	Similar products on PGC
6/14/2022	1/4"x18" CUTTING ROD 30/BOX X-CUT Exothermic rod	Similar products on PGC
6/14/2022	3/8" X 18" CUTTING ROD 20/BOX X-CUT Exothermic rod	Similar products on PGC
7/13/2022	Self-Closing Kit for Flammable Storage Cabinet	Additional research has found that if we install these mounts it will void the warranty and could potentially affect the integrity of the cabinet.
7/18/2022	Superior Smoke Candle	IH: 1) SARAH emissions reporting requirements for CAS 67-72-1 >0.1% (this product contains 55%) 2) Probable human carcinogen
7/25/2022	Paragon Plus Extra HD Soy-Based Hand Cleaner	Similar products on PGC
7/27/2022	Mapei Planibond 3 C	IH: Contains Formaldehyde
8/10/2022	E-bond 105 top coat and E-bond 108 base coat epoxy	IH: Contains Formaldehyde
8/12/2022	Tru Tac Asphalt Coat	Materials Division: This is not an approved product.
8/23/2022	Uvex Horizon Flip-Up welders glasses Part# S213	Safety: concerns related to wrong application.
8/24/2022	E6800 UV clear, UV-Resistant	IH; benzene above 1%
8/26/2022	6' Twin Leg Shock-Absorbing Safety Lanyard	Does not belong on PGC but can be purchased by ISSP contractor. Items that are related to fall protection need to be approved by the DSM.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
8/29/2022	UV Arm Sleeves	This product was requested in the past and denied. As an agency we provide long sleeve t-shirts with sun protection as well as sunscreen.
8/30/2022	Tuff Swipes Heavy Duty Pre-Moistened Cleaning Wipes	Like item already offered on PGC.
8/30/2022	Xtractor Penetrating Oil	Like item already offered on PGC.
8/30/2022	Tifco Smart Patch Kit	Safety, Environmental and Maint. - due to its intended purpose of repairing brine tanks. Brine tank manufacturer does not have a protocol to repair tanks
8/30/2022	Tifco Smart Patch 6x9 12pk	Safety, Environmental and Maint. - due to its intended purpose of repairing brine tanks. Brine tank manufacturer does not have a protocol to repair tanks
8/30/2022	Tifco Smart Patch 6x9 4pk	Safety, Environmental and Maint. - due to its intended purpose of repairing brine tanks. Brine tank manufacturer does not have a protocol to repair tanks
8/31/2022	First Aid Kit, Plastic Mini	First Aid kits are standardized throughout the agency to meet OSHA regulations.
9/6/2022	North American Rescue CAT Generation 7 tourniquet	Safety: lack of evidence that the tourniquets in the first aid kits are counterfeit
9/9/2022	Microflex Diamond Grip Latex Gloves	IH - VDOT does not use latex due to high prevalence of latex allergies.
9/22/2022	23 gallon trash can/commercial	Limited to mandatory sources
9/29/2022	AQUAPHALT TRU TACK 750 ml aerosol	Not on approved Materials list
10/3/2022	Forney PN 38070 Electrical Repair Rosin Core Solder 1/8	IH: containing lead.
10/3/2022	Forney 38071 Electrical Repair Rosin Core Solder 3/32"	IH: containing lead.
10/3/2022	Forney 30872 Electrical Repair Rosin Core Solder 1/16"	IH: containing lead.
10/3/2022	Forney 38073 Electrical Repair Rosin Core Solder 1/16"	IH: containing lead.
10/3/2022	Forney 61419 Electrical Repair Solder	IH: containing lead.
10/11/2022	Duracell: Alkaline, 50 mAh Capacity, 12V DC, A23	All smaller batteries should be Energizer
10/18/2022	EZ Utility Jug - 3 gal., 5 gal. and floor mount.	Safety & Equipment: do not want DEF to be pumped into secondary containers.
10/19/2022	Energizer E 90 / LR 1 Battery	N battery is compatible and already on PGC.
11/2/2022	Houdini Lock Lube (Aerosol) Lubricant	IH - The SDS lists all chemicals as proprietary blends but contains category 1 sensitizers. Unsure what "solvents" are being used.
12/15/2022	Scrubbing Bubbles Grime Fighter & Disinfectant Ctirus	comparable items on the PGC from a mandatory source.
12/29/2022	Grease - Bio Chisel Paste	Similar products on PGC
1/3/2022	Neck Lights	Safety: All neck lamps are prohibited due to entanglement precautions.
1/10/2022	Roll up sign stands	Items are on an existing contract.
1/12/2022	Cover All High Gloss Tire Shine & Dressing	Similar products on PGC
2/1/2023	Zoll AED replacement batteries (Duracell CR123A 3V)	All items that were AED related were removed from PGC for being a medical item
2/1/2023	Slime Tire Tube Patch kit	would require monitoring due to formaldehyde.
2/1/2023	Kimball Midwest Ultra Bond 2	Request was removed after informed they would have to undergo respiratory training.
2/2/2023	Aero Chem Brute Magic Oil PN110357097 Penetrating Oilductive	IH; tetrachloroethylene is not an approved product due to IH health hazards and env. Waste disposal restrictions.
2/3/2023	Rhomar Black Max Cathodic Rust Arrestor	PH Requirements (too acidic).
2/21/2023	Recon Safety Glasses - Indoor/Outdoor, Anti-Fog Lens	OSSEM is currently in the process of researching, analyzing, and updating safety glasses. We will be doing some pilot programs on safety glasses that are identified as meeting VDOT specifications. We will not be adding safety glasses to the PGC until this process is complete.
7/22/2022	Polarized Safety Glasses	OSSEM is currently in the process of researching, analyzing, and updating safety glasses. We will be doing some pilot programs on safety glasses that are identified as meeting VDOT specifications. We will not be adding safety glasses to the PGC until this process is complete.
2/24/2023	Sta-Green: Lawn Soil Plus Starter Fertilizer (Top Soil)	Denied by Roadside "This product contains fertilizer. Fertilizer application is governed by the VDOT Nutrient Management Program (NMP). Fertilizer products compliant with the NMP already are available through Mancon."
2/9/2023	RASCO Welding Cap (Fitted) RHWWC167	Not flame resistant.
3/2/2023	Back Brace	VDOT has consistently denied this product as "back braces" are considered a medical device and these over the counter devices provide a false sense of security when lifting.
3/6/2023	Zoll AED Replacement Electrode Pads CPR-D Pads & Pedi Padz	Added to PGC and Removed shortly after for being a medical item. No AED related items on the PGC.
3/8/2023	Salt Neutralizer and ChemStation Vehicle wash	"This wash product is solvent-based, rather than detergent based. Only biodegradable, detergent-based products are to be utilized on gravel wash pads. And desalting of equipment should also not take place on gravel pads. So this is not an acceptable use case for either of these products."
3/10/2023	Ramik Green Bait Packs	Roadside: the active ingredient in this product is a restricted use product by the EPA -In Virginia ONLY Certified Applicators can us - Registered Technicians can only use if supervised by a Certified Applicator. Must be certified in category 7D. Should not be added to the PGC. Advised to district Roadside manager for help in obtaining and using. Mancon is not licensed to sell pesticides in the State.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
3/10/2023	Moth Balls	Roadside: in order to use even mothballs the individual needs to be certified by VDACS- Mothballs are listed as a 'pesticide'. They would need to be certified at a minimum as a Registered Technician - trained in Category 7A -General Pest control."
3/16/2023	Chapin Xtreme Industrial Sprayer Model 19049	Denied By CO ISSP: preference
3/31/2023	Simpson Crack-Pac kit	Not on the approved materials list section 28.
4/3/2023	7102 Rig Lizard Fluid Gloves	Safety: We are undergoing a total glove evaluation and will be updating gloves on the PGC. I have some sample gloves coming that are very similar to this.
4/11/2023	VDOT WHITE DUTCH CLOVER SEED - GREEN TAG	This item is not ordered enough to be placed on the PGC. Even though it is VDOT approve they will have to obtain this through other forms of procurement
4/14/2023	Black Jack Tire Repair Plug	IH: Contains Lead
5/31/2023	Slime Rubber Cement Part #1050	Contains Formaldehyde
5/31/2023	Slime Repair Plugs	Does not have an SDS.
6/13/2023	Surge protector	VITA Item, Requires SAMS Request. Surge protectors are different from regular power strips
6/13/2023	Bondo Fiberglass Resin Repair Kit 420	IH: Contains MEK in high % and organic peroxides "Hazards that may be associated with organic peroxide formulations include rapid decomposition due to high temperature or contamination with other chemicals, rapid burning and sensitivity to shock or friction, as well as potential human health hazards due to contact with eyes or skin or due to swallowing." Please help this group find and alternative product
6/29/2023	JT Eaton 709-N Peanut Butter Bait Block Rodenticide	Not adding mouse traps to the PGC at this time.
6/29/2023	Terro T300 Ant Killer II Liquid Ant Bait (pesticides)	They would need to be certified at a minimum as a Registered Technician - trained in Category 7A -General Pest control by VDAC
6/29/2023	Repel 100 insect repellent	IH: Per VDOT specs, products should contain <=50% DEET and should not be aerosols.
7/6/2023	36" Reflective Collapsible Pop Up Traffic Cone with LED Light (trafficconesforless.com)	TE Bruce Martin - light needs to be steady burning and not have the option to blink.
7/7/2023	6" & 8' Type 3 barricades.	On Korman Signs Contract 47070; and/or eVa mandatory source 1ctr000562
7/10/2023	Guardian Angel Elite Series White/Yellow White/Yellow Personal Wearable Safety Light	Safety: must be steady buring lights also have tons of lights on the PGC. HALO Spotlights and Airstream lights.
7/12/2023	Catchmaster Glue Mouse Traps; 4 Pk #104	Safety: Not adding mouse traps to the PGC at this time. Request from facilities need to get a pest contract and Request from Signals need to have TE check their signal cabinets to make sure they are tightly sealed so pest can not get in.
7/12/2023	Knees Pest Defense Stick All Mouse Trap & Stick All Glue	Safety: Not adding mouse traps to the PGC at this time. Request from facilites need to get a pest contract and Request from Signals need to have TE check their signal cabinets to make sure they are tightly sealed so pest can not get in.
7/12/2023	Snap Mouse Traps	Safety: Not adding mouse traps to the PGC at this time. Request from facilites need to get a pest contract and Request from Signals need to have TE check their signal cabinets to make sure they are tightly sealed so pest can not get in.
7/12/2023	Soudaseal 250XF	Company: This material is not part of our current product line in the US. We might be able to ship it from Europe straight to you, but we only do that with full container loads.
7/21/2023	Gatorade	Drinking one 16oz. Gatorade during a day is not a problem for most employees, the problem comes in when employees drink multiple bottles. There are around 400mg of sodium in a 16oz.Gatorade. There has been an incidents where an individual was taken to the hospital with extremely high blood pressure, exacerbated by drinking multiple bottles of Gatorade.
7/26/2023	3M Ultra Headlight Restoration Kit 39195	Like item already offered on PGC.
7/28/2023	Pi-Link will automatically activate and alert mapping systems	IT item.
8/2/2023	Lawson #DA6152 Drummond™ - Open and Shut Nut and Bolt Loosener and Rust Penetrant, Colorless, 20oz Aerosol	contains Tetrachloroethylene.
8/4/2023	Diamond Star Pellet Mulch with tackifier and biostimulant	Not on the Materials Approved List
8/8/2023	Shipping Boxes	On Exclusion list; Office supplies
8/15/2023	LeveLok Ladder Leveler/Stabilizer Permanent Mount Style Part # - LL-STB-1AL	Safety: holes need to be drilled in the ladder to secure it
8/22/2023	Terro liquid ant baits	They would need to be certified at a minimum as a Registered Technician - trained in Category 7A -General Pest control by VDAC
9/7/2023	5' x 8' Lawnmower Trailer	On Exclusion list
9/10/2023	Andax Industries 100-Gallon Tank Trap	Safety: The answer will be no. I have spoke to the Chief of Maintenance and Operations and I believe there will be a discussion about this at the next IMC meeting.
9/13/2023	Mosquito Repellent Tabs - Kills Mosquitos larva in standing water	Pesticide licensing

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
9/14/2023	HIT-RE 500 V3 EPOXY ANCHOR	Contains formaldehyde. The 200 version that doesn't contain formaldehyde is still available on the PGC.
9/13/2023	Chiggerex	Safety: This product is not for prevention of chiggers but rather an afterbite product. The best prevention is the use of bug repellent and work practices such as, long sleeves that have cuffs at the wrist and tuck pant legs inside boots.
9/15/2023	CAT DEO 15W-40 (DIESEL ENGINE OIL 5 gal buckets)	we do not add things to the PGC for "just in case."
9/15/2023	CAT MULTIPURPOSE TRACTOR OIL (MTO)5 gal buckets	we do not add things to the PGC for "just in case."
9/19/2023	3M Scotchcast Inline Splice Kit 72-N1	would prefer the constituents NOT include benzene, formaldehyde, or any isocyanate except MDI. Methylene Bisphenyl Isocyanate (MBI/MDI) has less of a vapor hazard than other isocyanates which is why I'll approve MDI but not the others. Signal is not in the respiratory protection program. -Raquel
9/21/2023	Paint Tray 11" 1 Quart	pulled from the PGC because VDC sells a like item
9/21/2023	Paint Tray 9" 2 Quart	pulled from the PGC because VDC sells a like item
9/21/2023	Adjustable, but would ultimately be Fixed Steel Gantry Cranes	Outside the scope of the contract
9/22/2023	Tire Patches Used to Repair Large Tires	Failure to retrieve SDS sheet
10/4/2023	Rangefinder	This item is considered "specialized survey equipment" and it is on the Program Exclusion list. This cannot be purchased using the ISSP Contract.
10/5/2023	3M™ Adflo™ Powered Air Purifying Respirator Nuisance Odor Pad Assembly 35-0699-99X01, 1 EA/Case	"I do not want it added to the program as it is for nuisance dust and the majority of employees in the program would not be protected with a nuisance dust filter. If an employee wants to wear a respirator for dust and odors, they can use a combination HEPA/OV or a HEPA/OV/AG filter. " -IH
10/11/2023	Lubricant, Drilling Core	SDS sheet not provided. (Manufacturer doesn't have one)
10/26/2023	SUPPLYPAK Bulb Recycling Box; For LFL Lighting Technology	Office supplies (exclusion list)
11/17/2023	STP® High Mileage Fuel Injector & Carburetor Treatment	Removed from PGC IH: It contains Benzene.
11/17/2023	Radians RB2120 RadBand 2 Banded Earplugs	Not approved as they do not meet the NRR 32 rating for VDOT disposable ear plugs. Not approved. As VDOT cannot ensure users are regularly washing their hearing protection
11/17/2023	MOLDEX Banded Ear Plugs: Bell, 25 dB NRR, Gen Purpose, Banded, Reusable, Push-In, M Earplug Size	Not approved as they do not meet the NRR 32 rating for VDOT disposable ear plugs. Not approved. As VDOT cannot ensure users are regularly washing their hearing protection
11/30/2023	Carhart Lewisville Force Beanie	Safety just added two new beanies that they prefer.
12/7/2023	NAPA 728122 & 728123 SOLDER PELLETS (PINK 1ga & BLACK 1/0 ga)	denied by Safety and IH due to lead content. They recommend use of pellets that are on the PGC.
12/12/2023	Tajima Micro Chalk for chalk line boxes (Red in 6lb, 32oz & 10.5 oz containers)	unfortunately, OSHA states "OSHA's HCS 2012 requires that all SDSs must include a U.S. address in Section 1 of the SDS. OSHA does not currently plan to change this requirement. " SDS from Japan
12/14/2023	Rain X 2 in 1 cleaner and rain repellant	Glass cleaner is carried by VDC mandatory source.
12/18/2023	Quikrete Portland Cement Type I/II 47lb	This item wasn't on the approved materials list.
12/21/2023	Aquaseal FD Repair Kit	IH: not approved. Please find a non-isocyanate patch kit.
1/2/2024	LocTite Epoxy - 1919325	"No inspection section attaching the bridge plates. Attaching plates is not considered repairs or construction. Please disregard this request"
1/3/2024	Gojo Foam hand cleaner	Requested to replace discontinued gojo foam hand cleaner which was a covid item. Since it is no longer a declared emergency we must go back to using VDC provided hand wash or get a waiver.
1/5/2024	Alvin Lab Metal 24oz can	High % MEK and toluene
1/5/2024	Lab metal liquid solvent 16oz	Too high % toluene.
1/10/2024	White and Yellow 3M Stamark Pavement Marking Tape 4"x30yards	Not on approved materials list.
1/24/2024	hardwired air compressor	outside the scope of this contract "facilities"
1/29/2024	NU-CALGON Ice Machine Cleaner	IH- "can we contract this cleaning out? The pH is <1 and the environmental restrictions call for >2. Please check with ferry to see if they can get a PM for ice machine cleaning instead, or if they can use a less corrosive product?" SPM after 2 weeks- " I never heard back from my requester. Please cancel this request. Thanks." Wasn't formally rejected, but was asked to go down a different avenue so wanted to make note of this for future reference.
1/31/2024	Winter Fleece Mechanix Wear Work Gloves	gloves that compete with mandatory source items (VDC) will not be added to the PGC
2/1/2024	Infrared Thermographic Cameras	Considered technology, outside the scope of the contract. (connects to wifi, the cloud, and has monitor)
2/1/2024	Pennant Banner Flags	Like item on the pgc. (CSG03407105)

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
2/6/2024	Desktop Power Supply LPX-14 14Amp "Rectifier"	Desktop power surge = Computer. In addition Technology and radio accessory which makes it outside the scope of the contract. Suggested tell the requestor to make a SAMs request for the accessory.
2/7/2024	PRO INDUSTRIAL DTM Acrylic Semi Gloss Ultradeep Base Paint	This paint was requested to cover up graffiti on the bridges. List 30 on the approved materials list contains paints to cover up graffiti on the bridges. Refer to approved list for this item 2/22/2024
2/12/2024	Dairyland THE ORIGINAL SOLID-STATE DECOUPLER (PCR) POLARIZATION CELL REPLACEMENT	item fell under facilities exclusion as it is hard wired to facility at ferrys.
2/13/2024	Electric Trolling Motor	This item falls within the Outboard motor exclusion.
2/21/2024	Portable OzonePro Generator- w/ AC Power Supply	This item has blue tooth capabilities so it falls under an exclusion. Suggested to find one without bluetooth capabilities.
2/21/2024	Solar Powered High Intensity Type "B" Light	Item denied because it falls under the emergency barrell top and stand lights exclusion.
2/20/2024	Blue Bear Soy-gel Paint Stripper	Like-item sold on the pgc (CISHCG73803T)
2/21/2024	Chemical Guys Total Interior Cleaner and Protectant	SDS precautionary statements are not consistent with a product that doesn't contain any hazardous constituents.
2/22/2024	Performance Safety Glasses - Fog-Free Lenses	"These glasses do not meet our specifications. "
2/22/2024	9 oz Cotton - Welding Jacket 30" Black	This item was denied because there are like-items on the PGC, and it appears to be preference.
2/22/2024	Milwaukee® Rechargeable Magnetic Headlamp And Task Light	Safety: We are currently working with the research council on a study looking at personal lighting. We have a variety of head lamps in stock
2/23/2024	Impact Resistant Poly Lens Deluxe Goggles	this goggle on the PGC is very similar to what is being requested and a face shield can be added. Specification Bouton Optical Stone Safety Goggles Model #251600020 BOU251600020
2/26/2024	Walkie Talkie	On the exclusions list- All Communication Devices- Any two way radio, state contract two-way radio, cellular phones, walkie talkie, CB radios and associated items, accessories, and repair parts.
2/26/2024	ROC-S Rice Aggregate Washer Water Softener for Aggregate Testing	Item falls outside the scope of the contract. Was from materials division for aggregate testing. Email from robin 3/6/2024
2/28/2024	Class 3 Hi-Viz Break-Away Traffic Vest	A Class 3 breakaway vest increase the risk of entanglement and snagging based on the loose-fitting sleeve and more material. For example, a twig or branch is easier to get caught in a loose-fitting sleeve.
3/6/2024	MediPoint Splinter Out	Denied by Safety: This product is considered a sharp and has the potential to create a blood/stick issue
3/10/2024	Gas Grill	not a maintenance item and outside the scope of this contract
3/21/2024	Automatic marking pencil	Office supply exclusion
3/25/2024	GutterGuard Curb Inlet Guard, dia. 9" x 12' L	there's an approved materials list for such items (list 59)
3/26/2024	YesWelder Cheater Lens FDJ-L-2-0 & 2-5 for 3.5 x 4.25 lens in 2.0 and 2.5 Magnification	Item isn't compatible with the helmets it was intended to be used on.
3/26/2024	Forney Paint Markers	Denied due to preference. 5 different brands of paint markers already on the pgc.
4/4/2024	Igloo 1/2- Gallon Plastic Sports Beverage Jug or equivalent	Like item is on the pgc and is provided by vdc.
4/12/2024	Traffic control system	Falls outside the scop of the contract.
4/18/2024	Canceivers	canceivers is consider technology and a SAMS Asset Request will need to be submitted for canceivers and assessories
4/18/2024	Head Lamp; flexible Led Light	currently working with the research council on a study looking a personal lighting. Additionally, we have a variety of head lamps in stock on the PGC.
4/21/2024	Flower Seed	this is something that won't be frequently or regularly purchased this isn't something we'll want added to the PGC and can just be purchased with a small purchase credit card.
5/14/2024	Ivy X Pre-contact Poison Ivy Solution 4 oz Spray	Best defense against poison ivy is to wear long sleeves. The prevention spray can cause irritation to the skin and SDS states, "Exposure guidelines are not relevant when product is used as intended in a household setting." This will not be used in a householding setting and the SDS further states that gloves and long sleeves should be used for prolonged expourse.
5/16/2024	THERMOLASER PROMELT LINE EQUIPMENT	This is an item that VDOT Traffic Operations would use. If this is not on the Traffic Engineering list of items that was modified to the contract, it is not a part of this contract.
5/20/2024	Cell Phone Mount	Excluded as it is a cell phone accessory.
6/4/2024	Stihl Bar Grease Gun	Just a tool item can be purchased without being added to the PGC.
6/12/2024	Hobart Welding Helmet Headgear — Fits Hobart Pillar, Creator and Inventor Series Helmets, Model# 770843	IH communicated with requester to have PGC welding helmet (Lincoln) acquired.
6/12/2024	HIT-RE 500 V3 Epoxy	formaldehyde containment. Item requested in the past but updated SDS. Second denial.
6/18/2024	White Distilled Vinegar	CO Denied: Food product and outside the scope of the contract.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
7/3/2024	Power Strips	Power Strips removed from PGC. Outside the scope of the contract
7/10/2024	Mac Tools PO-32 Pneumatic Air Tool Oil	Suggested by CO to use one of the four available air tool oils already on the PGC. Item not necessarily denied but there's options on the pgc that we told them to try first in this situation.
7/17/2024	Body Guard - 1050075 - H3 Series Clear Frame/Clear Mirror Indoor/Outdoor Anti-Scratch Polycarbonate Lens Body Guard Safety Glasses	Denied by Safety: We are in the middle of a large Safety Glasses review for the whole agency. I will have Mike Allen come out and show you the choices that are being considered.
8/1/2024	Dash Cam Recorder	Denied by CO (VDOT IT Purchase): Page 9 of the IT Goods and Services Management IIM "cameras should be purchased within the division or district" See emails from 8/2 from candice taylor to robin.
8/16/2024	Latex-ite 1 Gal 2X Premium Blacktop Crack Filler	Did not meet Road and Bridge Spec section 322. (Candice Entwisle)
8/19/2024	Blue Diamond Storm 450 Headlamp BDQBD620671	VDOT Safety removed this item due to lack of sales
8/19/2024	Tactikka Headlamp 300 lumen PEZE093HA00	VDOT Safety removed this item due to lack of sales
8/19/2024	Headlamp LED hardhat attachment SLT61052	VDOT Safety removed this item due to lack of sales
8/19/2024	Lamp LED Hardhat SLT61200	VDOT Safety removed this item due to lack of sales
8/22/2024	Quikrete Anchoring Cement	Denied by CO: item that would have to come from the Approved Materials list 29 CHEMICAL/MECHANICAL ANCHORING SYSTEMS
8/27/2024	Cat 6 Ethernet Cable	This item should be purchased through a SAMs request as it is considered IT.
8/28/2024	Sidewalk Closed roll up sign	Outside the scope of the contract
9/4/2024	Specialty Grass seed mix	The grass seed list on the PGC is limited to what is on it as they are the most commonly used. This was agreed with the Statewide Roadside Manager when they were put on. No others will be added to the PGC at this time .
9/4/2024	Honeywell amber lens safety glasses	Removed by safety due to lack of sales and equivalent item MMMS1203SGAF
9/6/2024	Radnor Welding Plastic Headgear	These were requested for "local purchase option". Training classes are not usually on short notice and should be planned accordingly. Sometimes people have to wait, and if they can't, a call should be made to CO ISSP and we can coordinate an emergency approval. See email from Robin 10-2-2024 Non-Compliance ISSP Order
9/6/2024	RADNOR™ 8" X 15 1/2" X .060" Clear Polycarbonate Face shield	These were requested for "local purchase option". Training classes are not usually on short notice and should be planned accordingly. Sometimes people have to wait, and if they can't, a call should be made to CO ISSP and we can coordinate an emergency approval. See email from Robin 10-2-2024 Non-Compliance ISSP Order
9/6/2024	WELDAS 10-2000-18 COMFOflex 18" Welders Gloves, Flame Retardant Air-Cushioned Lining - Large	These were requested for "local purchase option". Training classes are not usually on short notice and should be planned accordingly. Sometimes people have to wait, and if they can't, a call should be made to CO ISSP and we can coordinate an emergency approval. See email from Robin 10-2-2024 Non-Compliance ISSP Order
9/6/2024	RADNOR™ 2X Green Cotton/Westex® FR-7A® Flame Resistant Jacket With Snap Front Closure	These were requested for "local purchase option". Training classes are not usually on short notice and should be planned accordingly. Sometimes people have to wait, and if they can't, a call should be made to CO ISSP and we can coordinate an emergency approval. See email from Robin 10-2-2024 Non-Compliance ISSP Order
9/10/2024	Roll up sign (expressway closed)	All roll up signs are outside the scope of the contract and contract (Korman)
9/11/2024	Smoke Detector, FSP-851	Facilities item. Outside the scope of the contract
9/16/2024	Forklift Extenders	Falls under exclusion of "equipment item Movable from unit to unit"
9/23/2024	Shelving - Title DuraSteel Open with Bracing Industrial Shelving Virginia Correctional Enterprises (govce.net)	CO denied: considered Furniture and out of scope of the contract
9/24/2024	310 pcs of U type post and 17 packs of 25pcs of 5' rebar	CO denid: bulk materials- on exclusions list.
9/26/2024	Foxfire Hard Hat Lite Kit	Safety noted: OSSEM is currently working with the research council on a lighted apparel study that includes hard hat lighting. If the district wants to do pilot studies that include attachments to helmets, they must get approval through OSSEM.
10/2/2024	Totally Awesome All Purpose Cleaner 16 oz to 128 oz container	Like item carried by VDC (VDC930491). Will not add an item that will compete with an item provided by a mandatory source.
10/2/2024	Laptop stand Mount for Vehicle	Computer Accessory; excluded
10/3/2024	Mobile Steel Assembly Table with Bottom Shelf - 96 x 36"	Furniture; excluded
10/3/2024	Replacement Headgear - For Hobart XFS/XVS/XTV/XTF Series and Auto Arc Explorer Series Auto-Darkening Welding Helmets	IH denied: This was requested for a welding helmet that isn't on the PGC. "Please have them purchase a new helmet off the PGC"
10/8/2024	Gyratory Compactor	This request is outside of the scope of the ISSP contract. Mancon cannot purchase this item for VDOT.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
11/1/2024	VEVOR Articulating Borescope Camera with Light, Two-Way Articulated Endoscope Inspection Camera with 6.4mm Tiny Lens, 5" IPS 1080P HD Screen, 8X Zoom, 8 LED Light Snake Camera for Automotive, Plumbing	Outside the scope of the contract. Technology. Camera/video.
11/4/2024	Metal Smoker's Receptacle	Outside the scope of the contract. Facilities item.
11/7/2024	Gantry Crane	Outside the scope of the contract. Facilities requested item and facilities can only buy what was on mod 16.
11/14/2024	ONE-KEY™ Asset ID Tag – Sm. Plastic Surface QR Codes	CO Denied: A QR code is the same as a barcode. Barcode is on the IT Goods and Service list. The QR codes will have to be purchased using a VDOT IT, SAMS Request. https://www.milwaukeeetool.com/Products/48-21-0001
11/19/2024	Freon: Interdynamics R-134a Plus	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/19/2024	carb medic carburetor valve cleaner 614 GUNK	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/19/2024	Torq "CB" Corrosion Blasting Penetrating Oil	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/19/2024	3M™ Super Trim Adhesive, 08090, 19 oz Nt Wt	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/19/2024	Gunk Carburetor Parts Cleaner - Chlorinated	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/19/2024	IDQ LDS-1 Leak Detector and Sealer R-134a Freon	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/19/2024	3M Black Weatherstrip Adhesive, 08011	IH removed EPA finalized a new ban on methylene chloride on 4/30/2024: Removed from PGC for methylene chloride
11/21/2024	40W USB type C wall charger block	Must come from VDOT IT though SAMS request.
12/2/2024	specialty hardware for guardrail maintenance work	Not on the Traffic Engineering list
12/5/2024	Grizzly Downdraft Ventilation Table Model H2936	CO Denied (Materials request): Lab supplies and equipment is outside the scope of the contract. Materials Division is not a part of this contract except for the items that everyone purchases (already on the PGC).
12/6/2024	acurite digital weather station with wireless outdoor sensor	excluded since it requires a network connection. The requester needs to enter a SAMS ticket with VDOT IT
12/10/2024	Portable electric heater	Facilities is in charge of allowing or not allowing portable heaters in the workplace because the portable heaters blow fuses.
12/30/2024	Jumbo Finishing Pencil	denied because of the office supplies exclusion. It is too similar to a regular pencil, and we wouldn't be able to justify/explain the difference to an auditor if it came to it. Writing utensils are also carried by mandatory source VIB.
1/2/2025	Harrington Manual Chain Hoist Request; 2,000lb with 10ft lift	Since they are being used on the spreader stands which is covered under facilities this would be considered an upgrade to the facility. Even if it was a replacement of the chain they need to go through facilities.
1/8/2025	Kask helmet Chin Strap	Safety: VDOT is "not authorized to replace the integrated chin strap. If that needs to be changed, they will need to send to KASK"
1/10/2025	CB Radio	Must use a SAMS request through VDOT IT. Process in COISSP email.
1/16/2025	CLEANER; BRAKE NON-CHLORINATED CLEAR 1 GAL	IH Removed from the PGC as it is not VOC compliant for VA. Can be replaced with CRC05050
1/16/2025	CRC Brakleen Brake Parts Cleaner, 19 Wt Oz	Contains PERC. Removed from the PGC by IH. Was initially added January 2022.
1/27/2025	6" HMA Gyrotory Specimen Paper Disc	This request is outside of the scope of the ISSP contract. Mancon cannot purchase this item for VDOT.
1/27/2025	4" Concrete Cylinder Molds	This request is outside of the scope of the ISSP contract. Mancon cannot purchase this item for VDOT.
1/27/2025	10oz Cotton Duck Sample Bag	This request is outside of the scope of the ISSP contract. Mancon cannot purchase this item for VDOT.
1/28/2025	BG Ethanol Fuel System Defender, 11oz bottle	Denied by IH: Not approved. Benzene requires a written program, training, exposure monitoring, and a written program.
1/29/2025	CLR PRO® CALCIUM, LIME & RUST REMOVER	Denied by CO (Requested by Materials): Lab supplies and equipment is outside the scope of the contract. Materials Division is not a part of this contract except for the items that are already on the PGC.
2/5/2025	brine holding tank (6,000 to 12,000 gallons)	facilities. outside the scope of the contract
2/6/2025	ZEP0174 Penetrant and ZEP017401 Lubricant w/teflon	CO Environmental has asked that all industrial and commercial use of products containing more than 0.1% TCE or PERC be discontinued.
2/21/2025	Dawn Dish Soap	VDC carries Gain dish soap. We will not add a competing item to the PGC.
2/26/2025	Little Giant workbench	"Furniture of any type" is excluded from the contract
2/26/2025	Little Giant Work Table	"Furniture of any type" is excluded from the contract
2/26/2025	Strong Hold Workbench	"Furniture of any type" is excluded from the contract
2/26/2025	Kobalt 28-Inches W x 28-Inches H x 12.5-Inches D Wall-mounted Steel Garage Cabinet in Silver	CO determined this "falls under furniture which is excluded. "
2/27/2025	Concrete Reference Thermometer	CO determined specialized piece of equipment and something that our maintenance folks would not order. This falls outside the scope of the contract.
1/23/2025	RIDGID Transmitter: 0.128 kHz/1 kHz/33 kHz/8 kHz, 10 W Transmitter Power Output	Facilities can only use this contract per what is stated in Contract Modification 16.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
3/10/2025	Black Jack asphalt sealer 10oz and 5 gal	10 oz Black Jack asphalt crack filler has been denied. Crack sealants must meet specifications from the VDOT Road and Bridge Spec Section 322.
3/14/2025	3M Marine Adhesive Sealant 5200 Black 3 oz tube Part # 5202	Product request for repair of hip waders and boots when they get small cuts and holes. IH Denied: "contains toluene diisocyanate and methylene chloride"
3/14/2025	Aeorsol Can hole punch Recycler	Since the 5-gallon Black Jack asphalt crack filler that is on the PGC currently has a different SDS I sent it to the lab too, and this item will be removed from the PGC as it does not meet the spec requirements as well.
3/25/2025	Automatic Soap Dispenser	
3/27/2025	Fire Alarm Repair Parts	I think we will have to work with Candice Entwisle from the asphalt lab to find a product that meets the requirements and will be approved by both safety and IH if a replacement is desired.
3/31/2025	Plotter Paper	Plotter paper is outside the scope of this contract
4/16/2025	Terro Ant Dust Part Number T600	They would need to be certified at a minimum as a Registered Technician - trained in Category 7A -General Pest control by VDAC
4/21/2025	C-MMSU-L Magnetic Mic Clip with Side Mount Bracket	Outside the scope of the contract, needs a SAMS request
4/21/2025	Havis DBM-I 150-KS-0101 Motion device for phone hotder.	Outside the scope of the contract, needs a SAMS request
4/21/2025	Havis UT-4002 Phone holder	Outside the scope of the contract, needs a SAMS request
4/21/2025	Havis C-HDM-214 Pole mount for laptop	Outside the scope of the contract, needs a SAMS request
4/21/2025	Havis c-MD-112 Pole mount for laptop	Outside the scope of the contract, needs a SAMS request
4/21/2025	Havis UT-1001 Universaltray for taptop	Outside the scope of the contract, needs a SAMS request
4/30/2025	12oz wide mouth jar with caps	Materials is not part of the contract but can order stuff already on the contract
5/2/2025	Water/Sand Filled Traffic Jersey Barrier	Outside the scope of the contract.
5/6/2025	GLOVES; LATEX POWDER FREE LARGE VDC920422	Safety: Removed from PGC, VDOT requires nitrile gloves no latex
5/6/2025	GLOVES; LATEX EXAM LARGE VDC920416	Safety: Removed from PGC, VDOT requires nitrile gloves no latex
5/6/2025	GAUZE; NON-STERILE 2" X 5 YD 24/BOX, FAO56600	Safety: Removed from PGC. it is not required in the first aid kit
5/6/2025	EYEWASH; BOTTLE 1 OZ, FAO7008	Safety: Removed from PGC. We have another item that meets the requirements for the first aid kits.
5/6/2025	PAD; GAUZE 3 IN X 3 IN, HON020430	Safety: no longer needed on PGC
5/6/2025	TOWELETTE; ANTISEPTIC .5 GRAM, HON021645MD	Safety: only has 6 towelettes, we require 10
5/6/2025	GLOVES; LATEX FIRST AID, HON5M568	Safety: Removed from PGC, VDOT requires nitrile gloves no latex, our kit requires 2 sets or 4 nitrile gloves
5/6/2025	GLOVES; EXAM LATEX 2 PAIR PACK, EFA1200009K6	Safety: Removed from PGC, VDOT requires nitrile gloves no, latex
5/8/2025	3rd Eye Camera System for vehicles	This is outside the scope of the contract.
5/8/2025	Locking Scale Case	materials is not part of the contract. However, they can purchase things that mancon already offers
5/15/2025	paper plates, cups, plastic ware from VDC	No, just because VDC sells it doesn't mean VDOT gets Mancon to buy it for them. These item are unrelated to maintenance and there for outside the scope of the contract.
5/21/2025	Packing Tape	office supplies
5/28/2025	Folding Chair Storage Truck Rack	Excluded from the contract office equipment.
5/29/2025	Cigarette Receptacle	Outside the scope of the contract. Facilities item.
6/11/2025	Ziploc Bags	ziploc baggies are a food/grocery supply which is outside the scope of the contract
6/12/2025	Portable Waist Cooling Clip Fan	At this time, VDOT will not be providing this product.
6/16/2025	Image Truck Wash - Touchless Step 1	Environmental does not approve the Brookvale products. One product in this system has a very low pH while the other has a very high pH, potentially placing both of them in the corrosivity category for hazardous waste. Directions I found online only recommend a 1:1 dilution ratio for both products, which is likely not sufficient to bring them under those regulatory thresholds. Additionally, the Step 2 product lists a flash point of '>93 F'. This could place it into hazardous waste territory for ignitability, which requires a flashpoint above 140 F. Combine these concerns with the safety considerations for this system and I agree with your assessment to deny. There are other products available and approved that are safer.
6/16/2025	Image Truck Wash - Touchless Step 2	Environmental does not approve the Brookvale products. One product in this system has a very low pH while the other has a very high pH, potentially placing both of them in the corrosivity category for hazardous waste. Directions I found online only recommend a 1:1 dilution ratio for both products, which is likely not sufficient to bring them under those regulatory thresholds. Additionally, the Step 2 product lists a flash point of '>93 F'. This could place it into hazardous waste territory for ignitability, which requires a flashpoint above 140 F. Combine these concerns with the safety considerations for this system and I agree with your assessment to deny. There are other products available and approved that are safer.

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
6/16/2025	Image Truck Wash - Touchless Ceramic Wax Replacement	Environmental does not approve the Brookvale products. One product in this system has a very low pH while the other has a very high pH, potentially placing both of them in the corrosivity category for hazardous waste. Directions I found online only recommend a 1:1 dilution ratio for both products, which is likely not sufficient to bring them under those regulatory thresholds. Additionally, the Step 2 product lists a flash point of '>93 F'. This could place it into hazardous waste territory for ignitability, which requires a flashpoint above 140 F. Combine these concerns with the safety considerations for this system and I agree with your assessment to deny. There are other products available and approved that are safer.
6/25/2025	Echo Weedeater	Sthil or Milwaukee only
7/3/2025	CamView IP Pro- X™ HD Full Touch Screen Display IP and Analog Security Camera Tester - (8075)	Not on the TE supplies list and outside the scope of the contract
7/8/2025	Miovision system	video detection camera and processor. At this time they would need to go through a SAMS request
7/8/2025	Glove, Ansell ActivArmr Heat Resistant - 42-475	Materials is not part of the contract. However, they can purchase things that Mancon already offers. There's heat resistant gloves on the PGC (HON517147) , and they protect up to 400 degrees.
7/15/2025	OB -SPEED PLUG- 50# Bag Euclid Chemical	Requested reason: Speed Plug from Euclid Chemical; we use this product to seal storm structures and pipes. denied because we are restricted to using items from list 31 on the approved materials list for products to complete jobs like this.
7/16/2025	Tags; Yellow Backflow Preventer Inspection 100ct	This item is being denied because facilities requests are considered outside the scope of the contract. This modification clarifies how Facilities will use the contract in the future. Previously, the contract was not clear on the types of facilities maintenance supplies that could be purchased through the contract. Now Facilities personnel will only use the ISSP contract for the following. Safety apparels, hand tools, janitorial supplies, items with an SDS, and mandatory source. In addition, if Mancon already sells the item because it is already a part of their contract (i,e. items from the PGC), Facilities have the option to purchase those items from Mancon.
7/23/2025	Hach Turbidity Monitor Kit for Stormwater	IH: Individuals who may need to monitor turbidity from their shop should contact their District Env. Manager for guidance. Safety agrees. Recommended to reach out to NPDES (District National Pollutant Discharge Elimination System Coordinator) for input.
7/28/2025	DB25 Male to Male Cable 6FT, 26awg Tinned Copper Wires,Double-Shielded with Foil &Metal Braid, D-SUB 25 PIN RS232 Serial Cable in Black	This cable is a VDOT IT item and outside the scope of the contract.
7/28/2025	Citristrip GEL; STRIPPING PAINT AND VARNISH 64 OZ	Removed from PGC contains n-Methylpyrrolidone which causes birth defects, reduced fertility, and fetal loss after short term exposures.
7/30/2025	Pow'rkleen medicated hand cleaner	We will not add items to the PGC for preference. Also, mandatory source VDC provides VDOT with hand cleaner on the PGC.
7/30/2025	Quikrete 1241-56 Repair Mortar Sealant FastSet 55lb	requester will have to pick a product from list 31 of the approved materials list.
8/8/2025	18" Led illuminated plow and vehicle safety guide system.	Safety, “Will not approve green at this time as we are waiting for research to finish being conducted by the Research Council regarding lights, colors and wearable lights.” Equipment, “After review of this product, it is my opinion to NOT add this to the PGC. Wiring across the plow hitch area will be problematic and costly to maintain/repair. I would offer to add white reflective tape to the guides on the plows as an alternative. That way the corners of the blade will be visible at night to the operator and oncoming vehicles/pedestrians.”
8/14/2025	Camelbak Pro 100oz Hi-Viz Yellow Hydration Pack	Denied. Coolers are a mandatory source from VDC
8/14/2025	hydrocortizone itch cream	Hydrocortisone anti-itch cream is considered a medication and treatment and therefore will not be provided on the PGC. Employees who require this product should obtain it through personal means or as prescribed by their healthcare provider
8/14/2025	Anti-itch gel	Hydrocortisone anti-itch gel is considered a medication and treatment and therefore will not be provided on the PGC. Employees who require this product should obtain it through personal means or as prescribed by their healthcare provider
8/15/2025	Milwaukee Radio	Radios are excluded from the contract.
8/18/2025	BP65-01 High Visibility Backpack, Lime, Hard Hat Compartment	VDOT provided duffel bags on the PGC for employees to store PPE. The push pack was added to allow employees to carry work related items while performing activities in the field (survey, environmental).
8/20/2025	Ideal Duct Seal Compound 31-601 1lb, block and 31-605 5lb. block	IH: I cannot approve unless the manufacturer submits information about what is in the sealer- there is no composition information but there are significant components listed in section 4. I reached out to the manufacturer after IH’s response above and requested the composition information that was missing on the SDS. They responded that this is the only SDS for the item. So, at this point without the composition information this item will not be approved.
8/202/2025	Sikaflex NP 1 Black Sealant Caulk	IH does not approve original requested product but approves either the GE Concrete silicone or the Durasil products as alternates.
8/26/2025	3rd Eye Camera Screen for Truck	This needs to be purchased through IT.
8/26/2025	Guardian eye wash dust caps for mounted eye wash station	this is going to be a facilities item since the station is mounted to the facility and excluded from the contract

Date	Item Title & Description	Additional Comments
These items have been rejected from the program or have some restrictions from either Safety or Environmental. These may be changed as necessary over time with the concurrence of the Contractor and VDOT.		
9/3/2025	Smoke Detector, FSP-851	Facilities item. Outside the scope of the contract
9/4/2025	Creeping Red Fescue	They will need to procure it another way because Creeping Red Fescue is not on the PGC and we are not adding a specialty seed.
9/9/2025	10 in. Whisk Broom and Dust Pan Set (ITEM# 322851256)	The item has been denied. The dustpan below is provided by VDC, and we won't add items to the PGC that will compete with VDC items. Any kind of whisk can be purchased to use with it.
9/11/2025	7 in 1 Cigarette Lighter Splitter, SONRU 180W (max 192W) 3-Socket Car Cigarette Lighter Adapter with Dual PD 36W/QC3.0 Fast Charging (3.7FT Cable) 12V/24V Independent Switches & LED Voltage Display	Item is a charger with USB and C-ports, not just a power splitter. a simple power splitter would be ok to purchase. This item needs to go through VDOT IT.
9/12/2025	Backup Camera Global Resources GS16275-4xx GSGR 90° View Surface Mount – Machine / ALL backup cameras	IT good and need to be requested through SAMS request. They are not to be purchased through Mancon
9/19/2025	LS14250 1/2 AA Battery Size, Lithium, 1,200 mAh Capacity, 3.6V DC	Materials is not apart of this contract however they can purchase items that Mancon already offers
9/22/2025	3m Rubberized Undercoating	Contains benzene.
10/1/2025	Tankless Water Heater Flushing Kit	not a tool but if it was, it is not a standard tool equipment or maintenance would purchase. Facilites can purchase what equipemnt or maintenance purchase.
10/6/2025	Coil stock	Not on Bridge Supplies list
10/6/2025	Grates for a salt shed	Facilities item
10/6/2025	3M Single Step Glass Primer #08682 , 30ml	This item contains a high % of MEK and isocyanates- Toluene diisocyanate is easily volatilized. Not approved. I will, however, approve for use in either of the paint booths with the use of respiratory protection by one of the two designated VDOT equipment maintenance painters, if the product is required
10/10/2025	DeWALT 3-Piece Wall Mount Cantilever Rack, DXSTACLR	outside the scope of the contract
10/15/2025	On-the-vehicle wheel balancer featuring computerized touch screen graphics designed to simplify the wheel balancing process. Unit requires a Wheel Spinner to spin the wheel	mounted to the facility (This is excluded from the contract). In addition, the quote is an outsourcing purchase. Looks like the vendor was going to install the item at the location. This is not a vehicle or piece of equipment, so this type of outsourcing is not allowed in the contract.
10/17/2025	heater for traffic light cabinets	not on the TE Supplies list and can not be procured through the ISSP program
10/21/2025	EZ Straw Seeding Mulch with Tack 2.5 cf	Approved Materials list 53 Erosion Control Mulches limits VDOT to only using what is on that list.
10/23/2025	800 ML Gojo Dispenser	VDC gojo 2000ML replacement bag and dispenser on the PGC provided by VDC. Will not add competing items to mandatory sources.
10/24/2025	Forney Lead Free Rosin Core Electronic Solder 1/32 Part Number 61421	IH: Per conversation with Harrisonburg, they will find a truly lead-free alternative
10/24/2025	Pam cooking spray	The item is out of scope of the contract, considered a "food item"
10/28/2025	Modular Hose Bridge Ramps	No these cannot be used on a public roadway. As with any device used on a public roadway it would have to be tested and approved. I would have concerns with these devices and how they react to traffic volumes, speed, and different types of vehicles such as tractor trailer and motorcycle traffic. Also, even if tested and approved there would need to be specifications and standards on how and when they could be used on a public roadway and since these would be considered a hazard a Temp. Traffic Control plan would need to be developed for advanced warning.
10/29/2025	Pam Cooking Spray	Outside the scope of the contract. Considered food item.
10/29/2025	Cedarcide Original Bug Spray and Repellant (Pint and Quart Size)	Safety: I've done research on this product and have concerns related to the cedar oil in the product. Many individuals are allergic to cedar oil and have a variety of reactions from respiratory issues to skin irritation and blistering. Many individuals are unaware of the allergy until they are exposed.
10/29/2025	Cedarcide Tickshield Extra Strength Bug Spray Pint and Quart size	Safety:I've done research on this product and have concerns related to the cedar oil in the product. Many individuals are allergic to cedar oil and have a variety of reactions from respiratory issues to skin irritation and blistering. Many individuals are unaware of the allergy until they are exposed.
11/5/2025	Fuel Caddy, HDPE, 14 gal, Gasoline, Red	Safety: I'm saying no to this particular brand because it does NOT meet the OSHA requirements. Work with your District Safety Manager (s) to identify a product that meets the OSHA requirements.
11/14/2025	towing	Q: The Bedford shop supervisor wants to have the vendor/repair shop tow the vehicle to their shop and make the repairs. My question is can the cost of the tow be added in with the labor by the vendor who is repairing the vehicle and the Bill still go through Mancon? This will be for future reference. A: Towing is out of scope of the contract
11/18/2025	special cordless impact drill set up (Hytorc)	Since this is a specialized tool that wouldn't normally be purchased from Mancon this purchase will be considered outside the scope of the contract for materials.
11/21/2025	Digital tabletop postal scale	Office Supplies